
## Wireshark Lab: SSL v8.0

Supplement to *Computer Networking: A Top-Down Approach,* 8<sup>th</sup> ed., J.F. Kurose and K.W. Ross

*"Tell me and I forget. Show me and I remember. Involve me and I understand."* Chinese proverb

© 2005-2020, J.F Kurose and K.W. Ross, All Rights Reserved



In this lab, we'll investigate the Secure Sockets Layer (SSL) protocol, focusing on the SSL records sent over a TCP connection. We'll do so by analyzing a trace of the SSL records sent between your host and an e-commerce server. We'll investigate the various SSL record types as well as the fields in the SSL messages. You may want to review Section 8.6 in the text<sup>1</sup>. We are currently developing a Wireshark Lab that will cover TLS – whose treatment in the 8<sup>th</sup> edition of our text replaces the coverage of SSL.

<sup>&</sup>lt;sup>1</sup> References to figures and sections for this SSL lab are for the 7<sup>th</sup> edition of our text, *Computer Networks, A Top-down Approach, 7<sup>th</sup> ed.,* J.F. Kurose and K.W. Ross, Addison-Wesley/Pearson, 2016.

1	hark			
<u>Eile E</u> dit ⊻iew <u>G</u> i	o <u>⊂</u> apture <u>A</u> nalyze <u>S</u> tat	istics <u>H</u> elp		
	🛯 🖄 🗎 🗁 🔀	× % 📇 🖻	♀ ♀ ♀	
Eilter: SSI 💌 Expression Glear Apply				
No Time	Source	Destination	Protocol Info	
	05 128.238.38.162	216.75.194.220		ent Hello
	01 216.75.194.220 216.75.194.220	128.238.38.162 128.238.38.162		ver Hello, tificate
	.68 128.238.38.162	216.75.194.220		ent Key Exchange, Change Cipher S
	67 216.75.194.220	128.238.38.162		nge Cipher Spec, Encrypted Handsh
	89 128.238.38.162	216.75.194.220		lication Data
	52 216.75.194.220 32 216.75.194.220	128.238.38.162 128.238.38.162		lication Data P segment of a reassembled PDU]
	41 216.75.194.220	128.238.38.162		P Out-Of-Order   Application Data
129 23.4826	15 216.75.194.220	128.238.38.162	TCP [TCI	segment of a reassembled PDU]
	78 216.75.194.220 71 216.75.194.220	128.238.38.162		P Out-Of-Order] Application Data
140 23.5376	0/1 216./5.194.220	128.238.38.162	тср [тс	segment of a reassembled PDU]
4				<b>&gt;</b>
		132 bytes captured)		
				RP-routers_00 (00:00:0c:07:ac:00)
				16.75.194.220 (216.75.194.220)
		Src Port: 2271 (227	1), Dst Port:	https (443), Seq: 1, Ack: 1, Len
⊡ Secure Socke		-77-		
	rd Layer: Client H	ello		
Length:				
Handshake Message Type: Client Hello (1)				
	SSL 3.0 (0X0300)			
Version:				
⊂ipher S	pec Length: 51			
Cipher S Session	pec Length: 51 ID Length: 0			
Cipher S Session Challeng	pec Length: 51 ID Length: 0 Je Length: 16			
Cipher S Session Challeng	pec Length: 51 ID Length: 0			
Cipher S Session Challeng	pec Length: 51 ID Length: 0 Je Length: 16			I
Cipher S Session Challeng € Cipher S 0000 00 00 00	Epec Length: 51 ID Length: 0 Pe Length: 16 Epecs (17 specs) 07 ac 00 00 09 6			к.`е.
Cipher s Session Challeng € Cipher s 0000 00 00 00 0010 00 76 48	pec Length: 51 ID Length: 0 Pe Length: 16 Pecs (17 specs) 07 ac 00 00 09 6 28 40 00 80 06 6	F a1 80 ee 26 a2 d8 -	4b .vн(@	о&к
Cipher s session Challeng Cipher s 0000 00 00 0c 0010 00 76 48 0020 c2 dc 08	pec Length: 51 ID Length: 0 pe Length: 16 pecs (17 specs) 07 ac 00 00 09 6 28 40 00 80 06 6 f 01 bb 56 d2 0		4b .vн(@ 18v.	
Cipher S Session Challeng Cipher S 0000 00 00 00 00 0010 00 76 48 0020 c2 dc 08 0030 ff ff 2000 00	Spec Length: 51   ID Length: 0   ie Length: 16   ipecs (17 specs)   07 ac 00 00 9   6 6 6 6 6   df 01 bb 56 42 0   04 00 00 05 00 00 00	F al 80 ee 26 a2 d8 3 c5 4c 9e 64 9f 50 3 L 03 00 00 33 00 00 D 0a 01 00 80 07 00	4b .vH(@ 18v. 00UL c0	0&K L.d.P. 3
Cipher S Session Challeng Cipher S Cipher S Cip	Spec Length: 51   ID Length: 0   le Length: 16   pecs (17 specs)     07 ac 00 00 06   64 00 80 06 6   df 01 b 56 20   55 00 00 80 4c 00   04 00 00 50 00 04 00 4	F a1 80 ee 26 a2 d8 3 c5 4c 9e 64 9f 50 L 03 00 00 33 00 00 0 0a 01 00 80 07 00 0 00 00 64 00 00 62	4b .vH(@ 18v. 00UL c0 00	о&к
Cipher S Session Challeng Cipher S Cipher S Cip	pec Length: 51 ID Length: 0 pe Length: 16 pecs (17 specs) 07 ac 00 00 09 6 28 40 00 80 06 6 df 01 bb 56 d2 0 55 00 00 80 4c 00 04 00 00 05 00 0 00 00 09 06 00 4 00 06 02 00 80 0	F al 80 ee 26 a2 d8 3 c5 4c 9e 64 9f 50 3 L 03 00 00 33 00 00 D 0a 01 00 80 07 00	4b .vн(@ 18v. 00UL c0 00 00	0&K 
Cipher S Session challeng Cipher S Cipher S Cip	pec Length: 51   ID Length: 0   pe Length: 16   pecs (17 specs)     07 ac 00 00 9   6 28 40 00 80 06   6f 01 b5 56 20 0   04 00 00 05 00 00 00 00 00 00 04 00 05 00 04 04 04 04 04 05 00 04 04 04 04 04 05 00 04 05 04 04 04 04 04 04 04	$ \begin{smallmatrix} r \\ s \\ s \\ c \\ c \\ s \\ c \\ c \\ s \\ c \\ c$	4b .vн(@ 18v. 00UL c0 00 00	0&K 

## 1. Capturing packets in an SSL session

The first step is to capture the packets in an SSL session. To do this, you should go to your favorite e-commerce site and begin the process of purchasing an item (but terminating before making the actual purpose!). After capturing the packets with Wireshark, you should set the filter so that it displays only the Ethernet frames that contain SSL records sent from and received by your host. (An SSL record is the same thing as an SSL message.) You should obtain something like screenshot on the previous page.

If you have difficulty creating a trace, you should download the zip file <u>http://gaia.cs.umass.edu/wireshark-labs/wireshark-traces.zip</u> and extract the *ssl-ethereal-trace-I* packet trace.

## 2. A look at the captured trace

Your Wireshark GUI should be displaying only the Ethernet frames that have SSL records. It is important to keep in mind that an Ethernet frame may contain one or more SSL records. (This is very different from HTTP, for which each frame contains either one complete HTTP message or a portion of a HTTP message.) Also, an SSL record may not

completely fit into an Ethernet frame, in which case multiple frames will be needed to carry the record.

Whenever possible, when answering a question below, you should hand in a printout of the packet(s) within the trace that you used to answer the question asked. Annotate the printout<sup>2</sup> to explain your answer. To print a packet, use *File->Print*, choose *Selected packet only*, choose *Packet summary line*, and select the minimum amount of packet detail that you need to answer the question

- 1. For each of the first 8 Ethernet frames, specify the source of the frame (client or server), determine the number of SSL records that are included in the frame, and list the SSL record types that are included in the frame. Draw a timing diagram between client and server, with one arrow for each SSL record.
- 2. Each of the SSL records begins with the same three fields (with possibly different values). One of these fields is "content type" and has length of one byte. List all three fields and their lengths.

ClientHello Record:

- 3. Expand the ClientHello record. (If your trace contains multiple ClientHello records, expand the frame that contains the first one.) What is the value of the content type?
- 4. Does the ClientHello record contain a nonce (also known as a "challenge")? If so, what is the value of the challenge in hexadecimal notation?
- 5. Does the ClientHello record advertise the cyber suites it supports? If so, in the first listed suite, what are the public-key algorithm, the symmetric-key algorithm, and the hash algorithm?

ServerHello Record:

- 6. Locate the ServerHello SSL record. Does this record specify a chosen cipher suite? What are the algorithms in the chosen cipher suite?
- 7. Does this record include a nonce? If so, how long is it? What is the purpose of the client and server nonces in SSL?
- 8. Does this record include a session ID? What is the purpose of the session ID?
- 9. Does this record contain a certificate, or is the certificate included in a separate record. Does the certificate fit into a single Ethernet frame?

Client Key Exchange Record:

<sup>&</sup>lt;sup>2</sup> What do we mean by "annotate"? If you hand in a paper copy, please highlight where in the printout you've found the answer and add some text (preferably with a colored pen) noting what you found in what you 've highlight. If you hand in an electronic copy, it would be great if you could also highlight and annotate.

10. Locate the client key exchange record. Does this record contain a pre-master secret? What is this secret used for? Is the secret encrypted? If so, how? How long is the encrypted secret?

Change Cipher Spec Record (sent by client) and Encrypted Handshake Record:

- 11. What is the purpose of the Change Cipher Spec record? How many bytes is the record in your trace?
- 12. In the encrypted handshake record, what is being encrypted? How?
- 13. Does the server also send a change cipher record and an encrypted handshake record to the client? How are those records different from those sent by the client?

**Application Data** 

- 14. How is the application data being encrypted? Do the records containing application data include a MAC? Does Wireshark distinguish between the encrypted application data and the MAC?
- 15. Comment on and explain anything else that you found interesting in the trace.